## PREFACE

"Input Formats and Specifications of the National Geodetic Survey (NGS) Data Base," commonly called the "Blue Book," is a user's guide for preparing and submitting geodetic data for incorporation into NGS' data base. Survey data that are entered into NGS' data base become part of the National Spatial Reference System (NSRS), formerly the National Geodetic Reference System. The guide comprises three volumes. Volume I covers classical horizontal geodetic and Global Positioning System (GPS) data, volume II covers vertical geodetic data, and volume III covers gravity data. Beginning with this edition, the three formerly separate volumes are distributed as a set, since a great deal of information is common to each volume. Because some of the chapters and annexes are identical in all three volumes, the original numbering design has been retained.

The formats and specifications are consistent with the aims of the Executive Office of the President, Office of Management and Budget's (OMB) Circular A-16, as revised in 1990. A major goal of the circular, which is titled "Coordination of Surveying, Mapping, and Related Spatial Data Activities," is to develop a national spatial data infrastructure with the involvement of Federal, state, and local governments, and the private sector. This multilevel national information resource, united by standards and criteria established by the Federal Geodetic Control Subcommittee (FGCS) of the Federal Geographic Data Committee (FGDC), will enable the sharing and efficient transfer of geospatial data between producers and users.

Survey data that are submitted to NGS for incorporation into NSRS should be properly formatted and supply minimum accuracies of:

First-order horizontal accuracy standards for GPS and conventional horizontal surveys;

Second-order, class II vertical accuracy standards for conventional leveling;

Third-order gravity standards for gravity surveys.

Effective September 1, 1995, survey project data must meet the above minimum accuracy standards to be accepted for inclusion into the NGS data base. Surveys that are of lower order than given above will be accepted only in exceptional cases approved by the Director, NGS.

In addition, these data standards and accuracies must be verified and the survey data contributed for inclusion into the NGS data base must be processed and adjusted by the provider, using currently available NGS software, before submitting the survey project to NGS.

At this time, NGS provides review, archiving, and distribution functions free of charge for survey data submitted in the proper format. These surveys must contain connections to NSRS in accordance with FGCS Standards and Specifications and they must contribute to the public good.

The production of the Blue Book entailed significant contributions from a number of NGS employees. Notable among these are D. Sherrill Snellgrove for his revision of Volume I, originally prepared by then-Commander Ludvik Pfeifer, NOAA (Ret.); Nancy L. Morrison and Commander Pfeifer, for their contributions to preparing Volume II; and then-Lieutenant Warren T. Dewhurst, NOAA, for his preparation of Volume III.

This publication and most of the documents referenced herein may be obtained from:

NOAA, National Geodetic Survey, N/NGS12
1315 East-West Highway, Station 9202
Silver Spring, MD 20910-3282
Telephone: (301) 713-3242; Fax: (301) 713-4172
Monday through Friday, 7:00 a.m. - 4:30 p.m. Eastern Time.

## CONTENTS - VOLUME I

- Chapter 1 HORIZONTAL CONTROL (HZTL) DATA
- Chapter 2 HORIZONTAL OBSERVATION (HZTL OBS) DATA
- ANNEX A NGS STATE AND COUNTRY CODES
- ANNEX B STATE PLANE COORDINATES (SPC) ZONE CODES
- ANNEX C CONTRIBUTORS OF GEODETIC CONTROL DATA
- ANNEX D GUIDELINES FOR GEODETIC CONTROL POINT DESIGNATIONS
- ANNEX E STATION ORDER-AND-TYPE (OT) CODES
- ANNEX F NGS SURVEY EQUIPMENT CODES
- ANNEX G ELLIPSOID HEIGHT ORDER-AND-CLASS (OC) CODES
- ANNEX H STANDARD TIME ZONES
- ANNEX K PROJECT REPORT INSTRUCTIONS
- ANNEX L GUIDELINES FOR SUBMITTING GPS RELATIVE POSITIONING DATA
- ANNEX N GLOBAL POSITIONING SYSTEM DATA TRANSFER FORMAT

<u>CONTENTS - VOLUME I</u> <u>PAGE</u>

<u> Chapter 1 - HC</u>	RIZONTAL CONTR	ROL (HZI	TL) DAT	<u>A</u> .					•			•		1-1
INTRODUCTI	ON													1-1
JOB CODE A	ND SURVEY POIN	IT NUMBE	ERING											1-1
MEDIA FOR	SUBMITTING DAT	'A												1-3
	1-2 - Station	ntrol p	points l numbe	 rs a		•			•	•	•	•		. 1-4
	to peri								•			•		1-5
CODING, KE	YING, AND DATA	VERIF	ICATION											1-6
SPECIAL CH	ARACTERS													1-7
SEQUENTIAL	RECORD NUMBER	RING .												1-7
Chapter 2 - HC	RIZONTAL OBSEF	RVATTON	(HZTI	OBS)	DA'	ΤΆ								2-1
<u> </u>														
INTRODUCTI	ON			• •	• •	•	• •	• •	•	•	•	•		2-1
	ATA SET RECORD 2-1 - Horizont		 ervatio											
	OF THE HZTL OE													
Projec Survey	TA RECORDS													2-5 2-6
Date . Time . Time Z	IME					•	 		•	•			 	2-7 2-7 2-7
Standp Statio Weathe TABLE Job-Sp	N DATA RECORDS oint and Foregon Serial Number Code 2-4 - Weather ecific Instrument of Instrument	ooint . er Code . nent Nur		  	  	•	  						  	2-9 2-9 2-10 2-10 2-10
Height o	f GPS Antenna lity Code												. 2	-11

<u>CONTENTS - VOLUME I</u> <u>PAGE</u>

ASSIGNMENT OF STATION SERIAL NUMBERS	
TREATMENT OF ECCENTRIC OBSERVATIONS	
ACCURACY OF THE OBSERVATIONS	
HORIZONTAL DIRECTION DATA RECORDS	L8
GLOBAL POSITIONING SYSTEM DATA RECORDS	
HORIZONTAL ANGLE DATA RECORDS	
VERTICAL ANGLE/ZENITH DISTANCE DATA RECORDS2-21Set Number2-22Number of VAs or ZDs Observed in This Set2-22Date and Time2-22Angle Code2-22	
LEVEL DATA RECORDS	1
DISTANCE DATA RECORDS	
AZIMUTH DATA RECORDS	
SURVEY EQUIPMENT DATA RECORDS	

<u>CONTENTS - VOLUME I</u> <u>PAGE</u>

Name or De Name or Desi Geodetic Pos Elevation an Station Orde TABLE 2-5 - TABLE 2-6 -	RA RECORDS . esignation of gnation of Brition	RM or A ench Mar Code der Code	Z MK											2- 2- 2- 2- 2- 2- 2-	30 2-32 33 34 34 35 37
FIXED CONTROL DA	TA RECORDS .													2-	40
Data Set Ide Project Da Horizontal		Record . ies) Rec	· · · cords	  ies)	  Re	cor	  ds							2- 2- •	41 42 2-43 2-46
Vert Angle Distance D Azimuth Da Survey Equ GPS Antenna Survey Point Fixed Cont	Angle Data /Level Data Data (*50*-Ser La (*60*-Ser Lipment Data Data (*71*) Data (*80*- Lrol Data (*9 Dermination R	(*40*-Series) Recies) Record . Series) 0*) Record	eries) ecords cords ecord Record	Rec ds	ord  	s								: : 2- 2-	2-59 2-64 2-73 2-76 <b>76a</b> 77 2-86
FORMAT DIAGRAM	is							•	•	•	•	•	•	•	2-88
Chapter 3 - GEODET	IC CONTROL D	ESCRIPTI	VE (G	EOD	DES	C)	DAT.	<u>A</u>							3-1
INTRODUCTION .										•					3-1
WRITING DESCRI	PTIONS														3-1
STRUCTURE OF T RECORD DEFINIT TITLE AND COMM	IONS														3-2
CODE *00* - *0	4* (PROJECT	AND TITI	E INF	ORMA	OIT	N R	ECO	RD	S)						3-2
CODE *05* (COM	MENT RECORD)														3-3
DESCRIPTION RE	CORDS														3-3

CONTENTS - VOLUME I PAGE
CODE *10* (STATION LOCATION RECORD) 3-3 Station Serial Number 3-3 DR Code 3-3 Recovery Type Code 3-3 Approximate Position 3-4 Approximate Height 3-4 Quad Identifier 3-4 FIGURE 3-1 (Quad Identifier Graphic Format) 3-5 State/Country Code 3-6 County 3-6 Special Application Code 3-6 Permanent Identifier 3-6
CODE *13* (STATION IDENTIFICATION RECORD)
CODE *15* (ALIAS RECORD)
CODE *20* (MONUMENTED/RECOVERED RECORD) . 3-8  Monumenting Agency Group Code . 3-8  Monumenting Agency Symbol . 3-8  Year Monumented
CODE *26* (SETTING RECORD)
CODE *28* (STAMPING RECORD)
CODE *29* (ROD/PIPE RECORD)
CODE *30* (TEXT RECORDS)
SAMPLE DESCRIPTION DATA SETS
FORMAT DIAGRAMS

vii							
CONTENTS - VOLUME I	PAGE						
ANNEX A - NGS STATE AND COUNTRY CODES	·1						
ANNEX B - STATE PLANE COORDINATES (SPC) ZONE CODES	·1						
ANNEX C - CONTRIBUTORS OF GEODETIC CONTROL DATA	·1						
ANNEX D - GUIDELINES FOR GEODETIC CONTROL POINT DESIGNATIONS D-	·1						
ANNEX E - STATION ORDER-AND-TYPE (OT) CODES	·1						
ANNEX F - NGS SURVEY EQUIPMENT CODES	·1						
ANNEX G - ELLIPSOID HEIGHT ORDER-AND-CLASS (OC) CODES	·1						
ANNEX H - STANDARD TIME ZONES	·1						
ANNEX K - PROJECT REPORT INSTRUCTIONS	·1						
ANNEX L - GUIDELINES FOR SUBMITTING GPS RELATIVE POSITIONING DATA L-	·1						
ANNEX N - GLOBAL POSITIONING SYSTEM DATA TRANSFER FORMAT	·1						